



Jefferson County Environmental Services

RETURN TO:
JEFFERSON COUNTY ESD SEWER ADMINISTRATION
716 RICHARD ARRINGTON, JR. BLVD NORTH-SUITE A300
BIRMINGHAM, ALABAMA 35203
OFFICE PHONE (205) 325-5138

POOL ADJUSTMENT REQUEST APPLICATION

Please allow 12 weeks for processing.

Customer Name: (Please Print) _____

Property Address: _____

City: _____ Zip Code: _____

Water / Sewer Account Number: _____

Date(s) Pool Filled: _____

Day Time Phone Number: _____

Customer Signature: _____

PLEASE DO NOT SUBMIT THIS FORM IF YOUR POOL IS NOT REGISTERED IN THE ESD POOL
DATABASE. YOU MAY CALL THE OFFICE NUMBER LISTED ABOVE FOR ASSISTANCE.

POOL ADJUSTMENT PROCESSING FEES APPLY UPON EACH CREDIT APPROVAL.

(DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY)

Pool Capacity (Full): _____ Billed Consumption: _____ Account Average: _____
_____ (Gal/HCF) _____ (Gal/HCF) _____ (Gal/HCF)

Customer Qualifies: _____ Transaction Per: _____

Credit Amount: _____ Transaction Date: _____

(205) 325-5390